



FAEMINA

Coffee Home Design

FAEMINA CLASSY



Satin copper
Polished aluminum



Polished aluminum
Dark Anodized

Coffee Groups	1
Boiler Type	Dual Boiler
Group Temperature Control	By Display or APP BeFaema

DIMENSIONS AND WEIGHT

Dimensions DxHxL (mm) With Carter Coffee Group low feet	547,1 mm x 413,4 mm x 377,3 mm (418,4 Max extension)
Dimensions DxHxL (mm) No Carter Coffee Group with tank	517,2 mm x 413,4 mm x 377,3 mm (418,4 Max extension)
Dimensions DxHxL (mm) Packaging included	715 mm x 615 mm x 465 mm
Net Weight (Kg)	35,2 Kg
Boiler Capacity (L)	2,6 L
Gross Weight (Kg)	42 Kg

CAPACITY AND PRODUCTIVITY

N° Service Boilers (L)	1
N° Coffee Boilers	1
Voltage (V) – Single Phase	230 V
Water Tank	Integrated
Steam Wand	1
Automatic Steam Wand – Autosteam	Yes - Optional
Refillable water tank	2,5 L
Removable Water Tank	Yes
Hydraulic connection	Optional Kit
Power Resistance Service Boiler (W)	1900 W / 230 V
Power Resistance Coffee Boiler (W)	1300 W / 220 V
Water Softener System	Integrated



FAEMINA URBAN COLOR



Black Light
Anodized



White Light
Anodized



Pantone Illuminating
Light Anodized

Coffee Groups	1
Boiler Type	Dual Boiler
Group Temperature Control	By Display or APP BeFaema

DIMENSIONS AND WEIGHT

Dimensions DxHxL (mm) With Carter Coffee Group low feet	547,1 mm x 413,4 mm x 377,3 mm (418,4 Max extension)
Dimensions DxHxL (mm) No Carter Coffee Group with tank	517,2 mm x 413,4 mm x 377,3 mm (418,4 Max extension)
Dimensions DxHxL (mm) Packaging included	715 mm x 615 mm x 465 mm
Net Weight (Kg)	35,2 Kg
Boiler Capacity (L)	2,6 L
Gross Weight (Kg)	42 Kg

CAPACITY AND PRODUCTIVITY

N° Service Boilers (L)	1
N° Coffee Boilers	1
Voltage (V) – Single Phase	230 V
Water Tank	Integrated
Steam Wand	1
Automatic Steam Wand – Autosteam	Yes - Optional
Refillable water tank	2,5 L
Removable Water Tank	Yes
Hydraulic connection	Optional Kit
Power Resistance Service Boiler (W)	1900 W / 230 V
Power Resistance Coffee Boiler (W)	1300 W / 220 V
Water Softener System	Integrated

